Amendment to the Claims

This listing of claims will replace all prior versions and listings of claims.

What Is Claimed Is:

1-10. (Canceled).

- 11. (Currently Amended) An isolated polypeptide comprising a first amino acid sequence at least 95% identical to a second amino acid sequence selected from the group consisting of:
- (a) a full length polypeptide of SEQ ID NO: 1562 or a full length polypeptide encoded by the HWHGU54 cDNA Clone ID in ATCCATCC™ Deposit No. 209782 corresponding to SEQ ID NO: 1562;
- (b) a secreted form of SEQ ID NO: 1562 or a secreted form of the polypeptide encoded by the HWHGU54 cDNA Clone ID in ATCCATCC™ Deposit No. 209782 corresponding to SEQ ID NO: 1562;
- (c) a polypeptide fragment of at least 30 contiguous amino acids of SEQ ID NO: 1562 or a polypeptide fragment of at least 30 contiguous amino acids encoded by the HWHGU54 cDNA Clone ID in ATCC Deposit No. 209782 corresponding to SEQ ID NO: 1562, wherein said fragment regulates the production and/or secretion of IL-8;
- - (e)(c) a polypeptide comprising amino acids 1-419 1-414 of SEQ ID NO: 1562;
 - (f)(d) a polypeptide comprising amino acids 20-419 20-414 of SEQ ID NO: 1562; and
 - (g)(e) a polypeptide comprising the mature form of HWHGU54 polypeptide encoded by the HWHGU54 cDNA in ATCCATCCTM Deposit No. 209782.
- 12. (Previously Presented) The isolated polypeptide of claim 11, wherein said polypeptide comprises a heterologous amino acid sequence.

13-15. (Canceled)

- 16. (Previously Presented) An isolated polypeptide produced by a method comprising:
 - (a) expressing the polypeptide of claim 11 by a cell; and
 - (b) recovering said polypeptide.

17-19. (Canceled).

- 20. (Withdrawn) A method of diagnosing cancer or other hyperproliferative disorder in a subject comprising:
- (a) determining the presence or amount of expression of the polypeptide of claim 11 in a biological sample; and
- (b) diagnosing the cancer or other hyperproliferative disorder based on the presence or amount of expression of the polypeptide.
- 21. (Withdrawn) A method for identifying a binding partner to the polypeptide of claim 11 comprising:
 - (a) contacting the polypeptide of claim 11 with a binding partner; and
 - (b) determining whether the binding partner effects an activity of the polypeptide.

22-23. (Canceled)

- 24. (Withdrawn) The product produced by the method of claim 20.
- 25. (Currently Amended) An isolated polypeptide comprising an amino acid sequence selected from the group consisting of:
- (a) a full length polypeptide of SEQ ID NO: 1562 or a full length polypeptide encoded by the HWHGU54 cDNA Clone ID in ATCCATCCTM Deposit No. 209782 corresponding to SEQ ID NO: 1562;
- (b) a secreted form of SEQ ID NO: 1562 or a secreted form of the polypeptide encoded by the HWHGU54 cDNA Clone ID in ATCCATCC™ Deposit No. 209782 corresponding to SEQ ID NO: 1562;
- (c) a polypeptide fragment of at least 30 contiguous amino acids of SEQ ID NO: 1562 or a polypeptide fragment of at least 30 contiguous amino acids encoded by the

HWHGU54 cDNA Clone ID in ATCC Deposit No. 209782 corresponding to SEQ ID NO: 1562, wherein said fragment regulates the production and/or secretion of IL-8;

(d) a polypeptide fragment of at least 50 contiguous amino acids of SEQ ID NO: 1562 or a polypeptide fragment of at least 50 contiguous amino acids encoded by the HWHGU54 cDNA Clone ID in ATCC Deposit No. 209782 corresponding to SEQ ID NO: 1562, wherein said fragment regulates the production and/or secretion of IL-8;

(e)(c) a polypeptide comprising amino acids 1-419 1-414 of SEQ ID NO: 1562;

(f)(d) a polypeptide comprising amino acids 20-419 20-414 of SEQ ID NO: 1562; and

(g)(e) a polypeptide comprising the mature form of HWHGU54 polypeptide encoded by the HWHGU54 cDNA in ATCCATCCTM Deposit No. 209782.

- 26. (Previously Presented) The polypeptide of claim 25, wherein said polypeptide comprises a heterologous amino acid sequence.
- 27. (Previously Presented) The polypeptide of claim 11, wherein said polypeptide is glycosylated.
- 28. (Previously Presented) The polypeptide of claim 25, wherein said polypeptide is glycosylated.
 - 29. (Previously Presented) An isolated polypeptide produced by the method comprising:
 - (a) expressing the polypeptide of claim 25 by a cell; and
 - (b) recovering said polypeptide.
 - 30. (Canceled)
- 31. (Withdrawn) A method of diagnosing cancer or other hyperproliferative disorder in a subject comprising:
- (a) determining the presence or amount of expression of the polypeptide of claim 25 in a biological sample; and,
- (b) diagnosing the cancer or other hyperproliferative disorder based on the presence or amount of expression of the polypeptide.

- 32. (Withdrawn) A method for identifying a binding partner to the polypeptide of claim 25 comprising:
 - (a) contacting the polypeptide of claim 25 with a binding partner; and
 - (b) determining whether the binding partner effects an activity of the polypeptide.
 - 33. (Withdrawn) The product produced by the method of claim 31.